

Devuan Installation

My Devuan installation notes.

Use Tips

Some are applicable to any APT-based distro.

Note for APT-based distro: To remove translations, create file `/etc/apt/apt.conf.d/99translation` and insert `Acquire::Languages { "none"; };`.

Note: look into `unattended-upgrades` (simply `apt install` and run `dpkg-reconfigure --priority=low unattended-upgrades`???)

List Installed Packages

Using apt tool:

```
apt list --installed 2>/dev/null | grep installed
```

Note that apt will issue a warning when piping its output in shell. Hence, the need to redirect `stderr` to `/dev/null`. We can further grep away the packages that were automatically installed.

Using the basic dpkg tool:

```
dpkg --get-selections | sed -n 's/^\([^\\t]*\\)\t.*$/\1/ p'
```

This version, however, only provides package name. To extract similar output from apt (assuming output was redirected into a file called `temp.txt`), run

```
cat temp.txt | sed -n 's|^\(.*\\)/.*$/\1| p'
```

Adding More Repo

Get proper signature key from that source (`*.asc` file) and add to system using `apt-key`.

```
# cat <key-file.asc> | apt-key add -
```

Create a listing file for source URL in `/etc/apt/sources.list.d/`.

```
# echo "deb [arch=?] <new-repo-url> <version> main" >  
/etc/apt/sources.list.d/new-repo.list
```

After doing an apt update, should be able to apt install <pkg>...

Reconfigure Package

Basically, run a dpkg-reconfigure <pkg>

e.g. To change timezone

```
# dpkg-reconfigure tzdata
```

Upgrading APT-based systems

To do an upgrade:

- Modify /etc/apt/sources.list and replace the release codenames

```
# sed -i 's/old_release/new_release/g' /etc/apt/sources.list
```

- skip -i option for a dry-run

- Update package list

```
# apt update
```

- Upgrade distribution

```
# apt dist-upgrade
```

- To make sure EVERYTHING is upgraded (avoids old packages held back)

- # apt full-upgrade

- Do house cleaning

```
# apt autoremove  
# apt clean
```

That should do it!

Search package for specific binary

- There is a specific tool for that

```
# apt install apt-file
```

- Update the package/file mapping database

```
# apt-file update
```

- Search for “top”

```
# apt-file search --regexp '/top$'
```

Avoiding marking package as manually installed

- Use dry-run (simulation) option -s

```
# apt install -s <pg1> ... <pkgN> 2>/dev/null|grep manually
```

- Removed the package(s) displayed from your install list and re-run without -s

GRUB Stuffs

To prevent GRUB from looking for other OS every time it is updated:

- edit /etc/default/grub and insert

```
GRUB_DISABLE_OS_PROBER=true
```

- run update-grub

To add a custom entry:

- add a menuentry in /etc/grub.d/40_custom
- uses the same menuentry format as in /boot/grub/grub.cfg
 - e.g. to boot my Slackware partition I can insert

```
menuentry 'Slackware' --class slackware --class gnu-linux --class gnu
--class os $menuentry_id_option 'mylpart-<uuid>' {
    insmod part_gpt
    insmod ext2
    set root='hd0,gpt4'
    if [ x$feature_platform_search_hint = xy ]; then
        search --no-floppy --fs-uuid --set=root --hint-bios=hd0,gpt4
--hint-efi=hd0,gpt4 --hint-baremetal=ahci0,gpt4  <uuid>
    else
        search --no-floppy --fs-uuid --set=root 4d95a526-2518-4fd6-
a904-f7bd2729145d
    fi
    linux /boot/vmlinuz-huge-4.4.240 root=/dev/sda4
}
```

- use initrd (after linux line) to specify an initrd/initramfs
 - of course, <uuid> should be a valid filesystem uuid
- run update-grub

KVM Stuffs

If KVM group is missing, simply create one...

```
# [ -z "$(cat /etc/group|grep kvm)" ] && addgroup --gid 125 kvm
```

Issues

Issues... and maybe fixes (if any).

Image Magick's convert error

I found an error when using image magick's convert to create EPS from fig that provides this message:

```
convert-im6.q16: attempt to perform an operation not allowed by the security
policy `EPS' @error/constitute.c/IsCoderAuthorized/421
```

Solution:

- (as root) edit /etc/ImageMagick-6/policy.xml
- modify following line (change none → read|write)

```
<policy domain="coder" rights="none" pattern="EPS" />
```

GRUB Prompt

In some cases, after an installation is complete, the system boots to a GRUB prompt. The issue may be caused by a different disk assignment during installation. Things is not so bad since GRUB prompt is very shell-like (e.g. double-tab for completion):

To list available disks:

```
> ls
```

To list content of first partition on the first disk (/dev/sda1) that is using GPT:

```
> ls (hd0,gpt1)
```

So, to boot an installation on second partition instead:

```
> linux (hd0,gpt2)/boot/vmlinuz<...>
> initrd (hd0,gpt2)/boot/initrd.img<...>
```

```
> boot
```

BCM Wireless

Device:

```
# lspci -nn | grep BCM
02:00.0 Network controller [0280]: Broadcom Limited BCM43142 802.11b/g/n
[14e4:4365] (rev 01)
```

Install: broadcom-sta-dkms, firmware-linux, firmware-b43-installer (b43-fwcutter)

note: only solves the Wireless Driver part... NOT the bluetooth hardware!

```
# lsusb | grep BCM
Bus 002 Device 004: ID 0a5c:216d Broadcom Corp. BCM43142A0 Bluetooth 4.0
# dmesg | grep blue
[ 8.850007] bluetooth hci0: firmware: failed to load
brcm/BCM43142A0-0a5c-216d.hcd (-2)
[ 8.850197] bluetooth hci0: Direct firmware load for
brcm/BCM43142A0-0a5c-216d.hcd failed with error -2
```

So, download BCM43142A0-0a5c-21d6.hcd in [here](#) and place it /lib/firmware/brcm/ (create that path if it does not exist).

XFCE Desktop

- tapping on my laptop touchpad is NOT working
 - moving around & button clicks are working
 - need to create file /etc/X11/xorg.conf.d/90-touchpad.conf

[90-touchpad.conf](#)

```
Section "InputClass"
    Identifier "libinput touchpad catchall"
    MatchIsTouchpad "on"
    MatchDevicePath "/dev/input/event*"
    Driver "libinput"
    Option "Tapping" "on"
EndSection
```

- lid event does not trigger suspend (but manual suspend works)
 - this is a systemd-related aftermath: xfce power manager allows/assumes login to handle lid
 - fix:

```
$ xfconf-query -c xfce4-power-manager -p /xfce4-power-manager/logind-handle-lid-switch -s false
```

- issues when logging out/shutdown
 - may be caused by intel graphics library? i915?
 - can install lightdm - but shutdown/restart always gets login page (=logout)
- wicd feature is an issue for system with multiple users
 - shared wifi password, no option to make private

Cinnamon DE

- login page (lightdm?) - cannot shutdown/reboot! read [here](#)...
 - found a fix [here](#)
 - i just needed to edit /etc/pam.d/lightdm-greeter and changed pam_systemd.so to pam_elogind.so (but, may cause issues with suspend/hibernate?)
- laptop battery quickly drain below 30 percent
 - setup higher critical value for power management

```
gsettings list-keys org.cinnamon.settings-daemon.plugins.power
gsettings set org.cinnamon.settings-daemon.plugins.power use-time-for-policy false
gsettings set org.cinnamon.settings-daemon.plugins.power percentage-low 30
gsettings set org.cinnamon.settings-daemon.plugins.power percentage-critical 25
gsettings set org.cinnamon.settings-daemon.plugins.power percentage-action 23
```

- or use dconf-editor

PulseAudio

Youtube videos keep resetting the volume settings to 100%! The culprit is flat-volumes. Modify /etc/pulse/daemon.conf and set flat-volumes=no.

(Re)-Compiling Syslinux

I need to recompile syslinux - just to remind myself, other than the usual development packages (build-essential, etc), I also need nasm and upx-ucl.

```
apt install nasm and upx-ucl
```

Unwanted Background Program

I found this in my old notes... I somehow found an autostart program `geoclue-demo-agent.desktop`, which I obviously do not need. So, simply remove that from autostart path

```
# rm /etc/xdg/autostart/geoclue-demo-agent.desktop
```

Sound muted on startup on my HP laptop

trying two options found... so far, not successful? keeping this here for reference.

1. option 1:
 - install `alsa-utils`
 - make sure sound is not muted and set to desired volume level
 - run (as root) `alsactl store`
2. option 2:
 - edit (as root) `/etc/pulse/defaults.pa`
 - can also copy this to home folder ??? for 1-user solution...
 - comment out 'load-module module-device-restore'

General Issues

- wifi firmware missing after first restart
 - manually install `firmware-ralink`
- network manager cannot connect using wifi
 - edit `/etc/NetworkManager/NetworkManager.conf`
 - add

```
[device]
wifi.scan-rand-mac-address=no
```

Using Wine on Devuan

Setup Wine (as root):

- enable multiarch
- install wine and winetricks

```
# apt install wine wine32 winetricks
```

Configure Wine (as user):

- if required, remove previous settings

```
$ rm -rf $HOME/.wine
```

- config for win32

```
$ WINEARCH=win32 winecfg
```

- setup nice fonts

```
$ winetricks corefonts
```

Note: Install fuseiso to enable mounting ISO as user

Game: Red Alert 2

Setup Installer ISO:

- create link to ISO as CDROM device

```
$ ln -sf /path/to/install.iso $HOME/.wine/dosdevices/d::
```

- mount ISO

```
$ fuseiso mount /path/to/install.iso $HOME/.wine/drive_d
```

- create link to mount path as CDROM drive

```
$ ln -sf $HOME/.wine/drive_d $HOME/.wine/dosdevices/d:
```

Run installer

- ```
$ wine D:\\Setup.exe
```

Fixes:

- menu does not show (solution available at [WineHQ](https://www.winehq.org/))
  - download ddraw.dll from <https://github.com/CnCNet/ts-ddraw/releases>
  - place in RA2 install path
  - run winecfg add that to library (as window native, instead of builtin)

## Application: LTSpice

- download windows version from ltspice website and run

```
$ wine /download/path/LTspiceXVII.exe
```



# Devuan on Raspberry Pi

Check out [here](#).

## RasPi400

Using `rpi-devuan-chimaera-5.10.110-ext4-2022-04-16.zip`

- boots ok (default hostname=bcm2711)
- login (root:toor)
- setup

```
run-setup
```

- change hostname (edit `/etc/hostname` and `/etc/hosts`)
- reboot
- remove default user

```
userdel -r devuan
```

- most development stuffs i want are preinstalled! yay!
- install vim

```
apt install vim
```

- remove nano

```
apt remove nano
```

- also

```
rm .nanorc
```

- install xorg stuffs

```
apt install xorg libx11-dev libxft-dev libxinerama-dev
```

- install suckless stuffs

```
apt install stterm suckless-tools
```

- create user and login as that user
- get mylshell and mylubuild

```
git clone https://codeberg.org/azman/mylshell
git clone https://codeberg.org/azman/mylubuild
```

- install dwm from source
- install browser & font

```
apt install surf fonts-liberation2
```

*work in progress... 2 issues: {surf cannot validate cert}{reboot hangs}*

**//Note:** Will simply use Raspberry Pi OS for now... //

From:

<https://www.azman.my1matrix.cc/> - **Azman @MY1**

Permanent link:

[https://www.azman.my1matrix.cc/doku.php?id=linux:devuan\\_install&rev=1775356123](https://www.azman.my1matrix.cc/doku.php?id=linux:devuan_install&rev=1775356123)

Last update: **2026/04/05 02:28**

